



BOROUGH OF ATLANTIC HIGHLANDS

100 FIRST AVENUE
ATLANTIC HIGHLANDS, NJ 07716
732-291-1444 FAX 732-291-9725
WWW.AHNJ.COM

APPLICATION FOR CERTIFICATE OF OCCUPANCY

(ORD. 03-2011)

***A Certificate of Occupancy is required to be issued before transfer of title and/or occupancy. A non-refundable fee for rentals and sales must be paid to the Borough of Atlantic Highlands, by cash, check or money order. An adult must be present at the time of inspection. If a re-inspection is required the applicant and/or agent must contact this office within 30 days to either schedule a re-inspection or request an extension or the application will be voided.

Block: _____ Lot: _____ Qual: _____ Apt.# _____ Zone: _____

Property Owner / Seller: _____ Phone #: _____
Property Address: _____ Emergency #: _____

Prospective Buyer(s)/Tenant(s)

	Full Name	M/F	Age
Primary	_____	_____	_____
Secondary	_____	_____	_____
Others 1	_____	_____	_____
2	_____	_____	_____
3	_____	_____	_____
4	_____	_____	_____

Closing Date: _____

Rental Date: _____

Term of Lease: _____

___ Single Family Dwelling \$75.00
___ Apartment \$75.00

___ Multi Family Dwelling \$75.00
___ Condominium \$75.00

***If permits were taken out on property they MUST be finalized by the Building Department prior to C/O inspection OPEN _____ CLOSED _____ NONE FOUND _____

Signature of Applicant: _____ Date: _____

Code Enforcement Officer: _____ Approved ___ Denied ___ Date _____

___ Temporary C/O ___ Construction Only ___ Re-inspection Required
___ Other _____

Payment:

Amount \$ _____ Cash ___ Check ___ C/O # _____



BOROUGH OF ATLANTIC HIGHLANDS

100 FIRST AVENUE
ATLANTIC HIGHLANDS, NJ 07716
732-291-1444 FAX 732-291-9725
WWW.AHNJ.COM

DIVISION OF FIRE PREVENTION

APPLICATION FOR CERTIFICATE OF SMOKE DETECTOR / CARBON MONOXIDE ALARM
COMPLIANCE INSPECTION
(ORD. 03-2011)

Block: _____ Lot: _____ Qual: _____ Apt. # _____

Address To Be Inspected: _____

Building Owner:

Name: _____ Phone #: _____

Address: _____

Prospective Buyer/Tenant Information

<i>FULL NAME</i>	<i>Gender</i>	<i>Age</i>
1. _____	_____	_____
2. _____	_____	_____
3. _____	_____	_____
4. _____	_____	_____
5. _____	_____	_____

FEES:

Requests made 10 or more days prior to inspection - \$45.00

Requests made 4 to 10 days prior to inspection - \$90.00

Requests made fewer than 4 days prior to inspection - \$161.00

Check # _____ Amount _____ Received by _____

***Inspections are performed on Wednesday between the hours of 2:00 pm and 5:00 pm. Please be sure that a representative is at the location during these hours to ensure the inspection can be completed. No inspections will be performed without a representative present.**



**BOROUGH OF
ATLANTIC HIGHLANDS**

100 First Avenue
Atlantic Highlands, New Jersey 07716
732-291-1444 Fax 732-291-9725
www.ahnj.com

INSPECTION GUIDELINES FOR CERTIFICATE OF OCCUPANCY

***By the issuance of the Certificate of Occupancy, neither the Borough nor any of its officers or employees assumes any liability neither expressed nor implied in connection there within. The C/O inspection is a **visual inspection only** and certifies that the premises is clean and habitable. **It does not insure that the structure, water, electric and heating system is in A-1 condition.** A Borough issued C/O only insures that the premises are habitable and no apparent violations exist on the day of inspection. **All utilities (gas, water and electric) must be operating at the time of inspection.** An adult must be present at the time of inspection.

PLEASE NOTE: Permits and approvals required for any recent construction and any open permits must have a final inspection before a C/O can be issued.

EXTERIOR INSPECTION:

1. Address numbers on home or mailbox must be visible from the street, no less than 4"
2. Condition of gutters, downspouts and leaders.
3. Condition of accessory structures i.e. fences and sheds.
4. Roof – no obvious leaks, damage or missing shingles.
5. Doors/Windows/Screens – Free of cracked glass. All screens must be in good condition with no rips.
6. All stairs that have 4 or more risers must have handrails, all stairs must be sound and in good repair.
7. Porches, landing and balconies that are 30" or more above ground must have a guardrail.
8. All painted surfaces must be free of flaking or peeling paint.
9. Swimming pools (if applicable) must have proper fencing with self-latching gate.
10. Property shall be free of over growth of grass, shrubs and weeds.
11. Property shall be free of debris.

(see attached page for interior inspection)

INTERIOR INSPECTION:

1. Operable smoke detectors (battery or hardwired) one on each level and one in every bedroom is required.
2. Carbon Monoxide detectors (plug in, battery or hardwired) are required within 10 feet of each bedroom. If bedrooms are on different levels additional detectors are required.
3. An ABC type fire extinguisher no larger than 10 lbs. mounted in the kitchen.
4. Fire door / garage - door between the garage and adjacent interior space shall be a minimum of 1 3/8" solid core or honeycomb steel.
5. Wall / Ceilings / Floors - must be free of holes, cracks and tripping hazards.
6. Stove - all burners must function properly.
7. GFI protected outlets in all bathrooms.
8. GFI protected outlets within 4' of kitchen sink. For commercial properties all outlets in kitchens must be GFI.
9. All plumbing fixtures shall be free of leaks and must be in working order with hot & cold tempered water.
10. Ventilation in all bathrooms.
11. Stairs with 4 or more risers must have handrails.
12. Pressure and temperature valve on hot water heater (with an extending pip 4" - 8" from floor).
13. No evidence of leaks/cellar water / sump pump in basement.

nt
the State Fire Prevention Code, Section 907.11.2.

vi.-vii. (No change from proposal.)

4.-9. (No change from proposal.)

(b)-(d) (No change from proposal.)

5:70-4.19 Smoke [detectors] **alarms** for one- and **two-family** dwellings; carbon monoxide [detectors] **alarms**; and **portable fire extinguishers**

(a)-(b) (No change from proposal.)

(c) [Smoke] [detectors] [**alarms** may be battery powered] **Ten-year sealed battery-powered single station smoke alarms shall be installed** and shall be listed in accordance with ANSI/UL 217, incorporated herein by reference. [**Ten-year sealed battery-powered single station smoke alarms shall be installed where no smoke alarms or detection devices exist or when replacing similar battery-powered single station smoke alarms.**] However, A/C-powered single or multiple-station smoke alarms installed as part of the original construction or rehabilitation project shall not be replaced with battery-powered smoke alarms.

1. (No change from proposal.)

(d)-(e) (No change from proposal.)